

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 28 ARIS +02 100 L	03041-5559-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 100 R	03041-5560-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 125 L	03041-5561-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 125 R	03041-5562-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 150 L	03041-5563-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 150 R	03041-5564-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 175 L	03041-5565-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 175 R	03041-5566-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 200 L	03041-5567-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 200 R	03041-5568-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 225 L	03041-5569-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 225 R	03041-5570-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 250 L	03041-5571-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 250 R	03041-5572-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 275 L	03041-5573-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 275 R	03041-5574-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 300 L	03041-5575-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 300 R	03041-5576-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 325 L	03041-5577-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 325 R	03041-5578-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 350 L	03041-5579-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 350 R	03041-5580-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 375 L	03040-3108-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 375 R	03040-3109-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 400 L	03040-3110-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +02 400 R	03040-3111-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 28 ARIS +04 100 L	03041-5581-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 100 R	03041-5582-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 125 L	03041-5583-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 125 R	03041-5584-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 150 L	03041-5585-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 150 R	03041-5586-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 175 L	03041-5587-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 175 R	03041-5588-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 200 L	03041-5589-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 200 R	03041-5590-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 225 L	03041-5591-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 225 R	03041-5592-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 250 L	03041-5593-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 250 R	03041-5595-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 275 L	03041-5598-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 275 R	03041-5599-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 300 L	03041-5600-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 300 R	03041-5601-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 325 L	03041-5602-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 325 R	03041-5603-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 350 L	03041-5604-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 350 R	03041-5605-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 28 ARIS +04 375 L	03040-3112-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 375 R	03040-3113-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 400 L	03040-3114-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +04 400 R	03040-3115-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 28 ARIS +06 100 L	03041-5606-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 100 R	03041-5607-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 125 L	03041-5608-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 125 R	03041-5609-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 150 L	03041-5610-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 150 R	03041-5611-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 175 L	03041-5612-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 175 R	03041-5613-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 200 L	03041-5614-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 200 R	03041-5615-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 225 L	03041-5616-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 225 R	03041-5617-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 250 L	03041-5619-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 250 R	03041-5620-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 275 L	03041-5621-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 275 R	03041-5622-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 300 L	03041-5623-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 300 R	03041-5624-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 325 L	03041-5625-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 325 R	03041-5626-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 350 L	03041-5627-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 350 R	03041-5628-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 375 L	03040-3116-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 375 R	03040-3117-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 400 L	03040-3118-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +06 400 R	03040-3119-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 28 ARIS +08 100 L	03041-5629-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 100 R	03041-5630-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 125 L	03041-5631-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 125 R	03041-5632-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 150 L	03041-5633-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 150 R	03041-5634-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 175 L	03041-5635-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 175 R	03041-5636-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 200 L	03041-5637-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 200 R	03041-5638-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 225 L	03041-5639-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 225 R	03041-5640-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 250 L	03041-5641-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 250 R	03041-5642-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 275 L	03041-5643-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 275 R	03041-5644-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 300 L	03041-5645-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 300 R	03041-5646-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 28 ARIS +08 325 L	03041-5647-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 325 R	03041-5648-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 350 L	03041-5649-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 350 R	03041-5650-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 375 L	03040-3120-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 375 R	03040-3121-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 400 L	03040-3122-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS +08 400 R	03040-3123-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 28 ARIS T6 100 L	03142-5997-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 100 R	03142-5998-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 125 L	03142-5999-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 125 R	03142-6000-1	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 150 L	03142-6001-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 150 R	03142-6002-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 175 L	03142-6003-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 175 R	03142-6004-3	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 200 L	03142-6005-0	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 200 R	03142-6006-8	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 225 L	03142-6007-6	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 225 R	03142-6008-4	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 250 L	03142-6009-2	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 250 R	03142-6010-0	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 275 L	03142-6011-8	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 275 R	03142-6012-6	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 300 L	03142-6013-4	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 300 R	03142-6014-2	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 325 L	03142-6015-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 325 R	03142-6016-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 350 L	03142-6017-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 350 R	03142-6018-3	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 375 L	03142-6019-1	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 375 R	03142-6020-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 400 L	03142-6021-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T6 400 R	03142-6022-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 28 ARIS T8 100 L	03142-6023-3	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 100 R	03142-6024-1	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 125 L	03142-6025-8	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 125 R	03142-6026-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 150 L	03142-6027-4	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 150 R	03142-6028-2	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 175 L	03142-6029-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 175 R	03142-6030-8	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 200 L	03142-6031-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 200 R	03142-6032-4	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 225 L	03142-6033-2	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 225 R	03142-6034-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 250 L	03142-6035-7	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 250 R	03142-6036-5	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 28 ARIS T8 275 L	03142-6037-3	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 275 R	03142-6038-1	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 300 L	03142-6039-9	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 300 R	03142-6040-7	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 325 L	03142-6041-5	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 325 R	03142-6042-3	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 350 L	03142-6043-1	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 350 R	03142-6044-9	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 375 L	03142-6045-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 375 R	03142-6046-4	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 400 L	03142-6047-2	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 28 ARIS T8 400 R	03142-6048-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 FRDMID ARIS +03 100 L	03040-0825-3	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 100 R	03040-0826-1	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 125 L	03040-0827-9	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 125 R	03040-0828-7	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 150 L	03040-0866-7	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 150 R	03040-0867-5	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 175 L	03040-0831-1	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 175 R	03040-0832-9	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 200 L	03040-0829-5	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 200 R	03040-0830-3	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 225 L	03040-0833-7	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 225 R	03040-0834-5	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 250 L	03040-0835-2	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 250 R	03040-0836-0	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 275 L	03040-0868-3	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 275 R	03040-0869-1	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 300 L	03040-0837-8	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +03 300 R	03040-0838-6	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	-6.25
76 FRDMID ARIS +05 100 L	03040-0839-4	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 100 R	03040-0840-2	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 125 L	03040-0841-0	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 125 R	03040-0842-8	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 150 L	03040-0870-9	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 150 R	03040-0871-7	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 175 L	03040-0843-6	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 175 R	03040-0844-4	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 200 L	03040-0845-1	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 200 R	03040-0846-9	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 225 L	03040-0847-7	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 225 R	03040-0848-5	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 250 L	03040-0849-3	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 250 R	03040-0850-1	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 275 L	03040-0851-9	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 275 R	03040-0852-7	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 300 L	03040-0853-5	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25
76 FRDMID ARIS +05 300 R	03040-0854-3	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 FRDMID ARIS +07 100 L	03040-0855-0	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 100 R	03040-0856-8	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 125 L	03040-0857-6	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 125 R	03040-0872-5	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 150 L	03040-0858-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 150 R	03040-0873-3	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 175 L	03040-0874-1	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 175 R	03040-0859-2	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 200 L	03040-0860-0	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 200 R	03040-0875-8	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 225 L	03040-0876-6	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 225 R	03040-0877-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 250 L	03040-0878-2	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 250 R	03040-0861-8	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 275 L	03040-0862-6	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 275 R	03040-0863-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 300 L	03040-0864-2	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 FRDMID ARIS +07 300 R	03040-0865-9	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	-6.25
76 7X28 ARIS +02 150 L	03041-5651-6	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 150 R	03041-5652-4	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 175 L	03041-5653-2	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 175 R	03041-5654-0	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 200 L	03041-5655-7	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 200 R	03041-5656-5	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 225 L	03041-5657-3	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 225 R	03041-5658-1	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 250 L	03041-5659-9	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 250 R	03041-5660-7	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 275 L	03041-5661-5	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 275 R	03041-5662-3	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 300 L	03041-5663-1	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 300 R	03041-5664-9	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 325 L	03041-5665-6	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 325 R	03041-5666-4	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 350 L	03041-5667-2	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +02 350 R	03041-5668-0	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	-6.25
76 7X28 ARIS +04 150 L	03041-5669-8	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 150 R	03041-5670-6	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 175 L	03041-5671-4	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 175 R	03041-5672-2	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 200 L	03041-5673-0	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 200 R	03041-5674-8	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 225 L	03041-5675-5	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 225 R	03041-5676-3	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 250 L	03041-5677-1	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 250 R	03041-5678-9	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 275 L	03041-5679-7	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 275 R	03041-5680-5	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 7X28 ARIS +04 300 L	03041-5681-3	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 300 R	03041-5682-1	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 325 L	03041-5683-9	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 325 R	03041-5684-7	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 350 L	03041-5685-4	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +04 350 R	03041-5686-2	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	-6.25
76 7X28 ARIS +06 150 L	03041-5687-0	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 150 R	03041-5688-8	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 175 L	03041-5689-6	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 175 R	03041-5690-4	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 200 L	03041-5691-2	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 200 R	03041-5692-0	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 225 L	03041-5693-8	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 225 R	03041-5694-6	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 250 L	03041-5695-3	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 250 R	03041-5696-1	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 275 L	03041-5697-9	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 275 R	03041-5698-7	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 300 L	03041-5699-5	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 300 R	03041-5700-1	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 325 L	03041-5701-9	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 325 R	03041-5702-7	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 350 L	03041-5703-5	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +06 350 R	03041-5704-3	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	-6.25
76 7X28 ARIS +08 150 L	03041-5705-0	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 150 R	03041-5706-8	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 175 L	03041-5707-6	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 175 R	03041-5708-4	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 200 L	03041-5709-2	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 200 R	03041-5710-0	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 225 L	03041-5711-8	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 225 R	03041-5712-6	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 250 L	03041-5713-4	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 250 R	03041-5714-2	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 275 L	03041-5715-9	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 275 R	03041-5716-7	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 300 L	03041-5717-5	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 300 R	03041-5718-3	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 325 L	03041-5719-1	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 325 R	03041-5720-9	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 350 L	03041-5721-7	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS +08 350 R	03041-5722-5	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	-6.25
76 7X28 ARIS T6 150 L	03142-6049-8	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 150 R	03142-6050-6	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 175 L	03142-6051-4	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 175 R	03142-6052-2	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 200 L	03142-6053-0	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 200 R	03142-6054-8	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 7X28 ARIS T6 225 L	03142-6055-5	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 225 R	03142-6056-3	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 250 L	03142-6057-1	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 250 R	03142-6058-9	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 275 L	03142-6059-7	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 275 R	03142-6060-5	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 300 L	03142-6061-3	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 300 R	03142-6062-1	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 325 L	03142-6063-9	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 325 R	03142-6064-7	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 350 L	03142-6065-4	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T6 350 R	03142-6066-2	6.25	6.38	3.851	5.0/ 4.0	14.0	14.0	-6.25
76 7X28 ARIS T8 150 L	03142-6067-0	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 150 R	03142-6068-8	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 175 L	03142-6069-6	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 175 R	03142-6070-4	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 200 L	03142-6071-2	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 200 R	03142-6072-0	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 225 L	03142-6073-8	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 225 R	03142-6074-6	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 250 L	03142-6075-3	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 250 R	03142-6076-1	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 275 L	03142-6077-9	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 275 R	03142-6079-5	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 300 L	03142-6080-3	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 300 R	03142-6081-1	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 325 L	03142-6082-9	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 325 R	03142-6083-7	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 350 L	03142-6084-5	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 7X28 ARIS T8 350 R	03142-6085-2	8.25	8.45	5.198	5.0/ 4.0	17.8	14.0	-6.25
76 D 35 ARIS +02 100 L	03040-3398-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 100 R	03040-3399-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 125 L	03040-3400-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 125 R	03040-3401-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 150 L	03040-3402-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 150 R	03040-3403-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 175 L	03040-3404-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 175 R	03040-3405-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 200 L	03040-3406-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 200 R	03040-3407-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 225 L	03040-3408-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 225 R	03040-3409-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 250 L	03040-3410-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 250 R	03040-3411-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 275 L	03040-3412-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 275 R	03040-3413-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 300 L	03040-3414-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25
76 D 35 ARIS +02 300 R	03040-3415-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 35 ARIS +04 100 L	03040-3418-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 100 R	03040-3419-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 125 L	03040-3420-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 125 R	03040-3421-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 150 L	03040-3422-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 150 R	03040-3423-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 175 L	03040-3424-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 175 R	03040-3425-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 200 L	03040-3426-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 200 R	03040-3427-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 225 L	03040-3428-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 225 R	03040-3429-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 250 L	03040-3430-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 250 R	03040-3431-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 275 L	03040-3432-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 275 R	03040-3433-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 300 L	03040-3434-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 300 R	03040-3435-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 325 L	03040-3436-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 325 R	03040-3437-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 350 L	03040-3438-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 350 R	03040-3439-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 375 L	03040-3440-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 375 R	03040-3441-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 400 L	03040-3442-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +04 400 R	03040-3443-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	-6.25
76 D 35 ARIS +06 100 L	03040-3446-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 100 R	03040-3447-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 125 L	03040-3448-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 125 R	03040-3449-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 150 L	03040-3450-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 150 R	03040-3451-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 175 L	03040-3452-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 175 R	03040-3453-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 200 L	03040-3454-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 200 R	03040-3455-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 225 L	03040-3456-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 225 R	03040-3457-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 250 L	03040-3458-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 250 R	03040-3459-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 275 L	03040-3460-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 275 R	03040-3461-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 300 L	03040-3462-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 300 R	03040-3463-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 325 L	03040-3464-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 325 R	03040-3465-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 350 L	03040-3466-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 350 R	03040-3467-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25



## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 35 ARIS +06 375 L	03040-3468-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 375 R	03040-3469-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 400 L	03040-3470-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +06 400 R	03040-3471-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	-6.25
76 D 35 ARIS +08 100 L	03040-3474-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 100 R	03040-3475-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 125 L	03040-3476-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 125 R	03040-3477-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 150 L	03040-3478-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 150 R	03040-3479-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 175 L	03040-3480-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 175 R	03040-3481-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 200 L	03040-3482-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 200 R	03040-3483-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 225 L	03040-3484-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 225 R	03040-3485-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 250 L	03040-3486-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 250 R	03040-3487-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 275 L	03040-3488-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 275 R	03040-3489-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 300 L	03040-3490-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 300 R	03040-3491-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 325 L	03040-3492-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 325 R	03040-3493-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 350 L	03040-3494-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 350 R	03040-3495-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 375 L	03040-3496-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 375 R	03040-3497-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 400 L	03040-3498-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS +08 400 R	03040-3499-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	-6.25
76 D 35 ARIS T6 100 L	03142-6087-8	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 100 R	03142-6088-6	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 125 L	03142-6089-4	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 125 R	03142-6090-2	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 150 L	03142-6091-0	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 150 R	03142-6092-8	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 175 L	03142-6093-6	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 175 R	03142-6094-4	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 200 L	03142-6095-1	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 200 R	03142-6096-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 225 L	03142-6097-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 225 R	03142-6098-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 250 L	03142-6099-3	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 250 R	03142-6100-9	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 275 L	03142-6101-7	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 275 R	03142-6102-5	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 300 L	03142-6103-3	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 300 R	03142-6104-1	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 D 35 ARIS T6 325 L	03142-6105-8	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 325 R	03142-6106-6	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 350 L	03142-6107-4	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T6 350 R	03142-6108-2	6.25	6.38	3.851	5.0/ 7.0	14.0	14.0	-6.25
76 D 35 ARIS T8 100 L	03142-6109-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 100 R	03142-6110-8	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 125 L	03142-6111-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 125 R	03142-6112-4	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 150 L	03142-6113-2	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 150 R	03142-6114-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 175 L	03142-6115-7	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 175 R	03142-6116-5	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 200 L	03142-6117-3	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 200 R	03142-6118-1	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 225 L	03142-6119-9	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 225 R	03142-6120-7	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 250 L	03142-6121-5	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 250 R	03142-6122-3	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 275 L	03142-6123-1	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 275 R	03142-6124-9	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 300 L	03142-6125-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 300 R	03142-6126-4	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 325 L	03142-6127-2	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 325 R	03142-6128-0	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 350 L	03142-6129-8	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 D 35 ARIS T8 350 R	03142-6130-6	8.25	8.45	5.198	5.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS +04 100	03040-3124-8	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 125	03040-3125-5	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 150	03040-3126-3	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 175	03040-3127-1	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 200	03040-3128-9	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 225	03040-3129-7	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 250	03040-3130-5	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 275	03040-3131-3	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +04 300	03040-3132-1	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	-6.25
76 RD 24 ARIS +06 100	03040-3133-9	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 125	03040-3134-7	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 150	03040-3135-4	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 175	03040-3136-2	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 200	03040-3137-0	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 225	03040-3138-8	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 250	03040-3139-6	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 275	03040-3140-4	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +06 300	03040-3141-2	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	-6.25
76 RD 24 ARIS +08 100	03040-3142-0	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 125	03040-3143-8	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 150	03040-3144-6	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 175	03040-3145-3	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25

## X-Cel Optical Aris Clear Hard Coated Lenses

Item Description	OPC	Nom. Ft.	True Ft.	Sag.	In/Dn	CT	ET	Back
76 RD 24 ARIS +08 200	03040-3146-1	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 225	03040-3147-9	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 250	03040-3148-7	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 275	03040-3149-5	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS +08 300	03040-3150-3	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	-6.25
76 RD 24 ARIS T6 100	03142-6131-4	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 125	03142-6132-2	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 150	03142-6133-0	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 175	03142-6134-8	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 200	03142-6135-5	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 225	03142-6136-3	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 250	03142-6137-1	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 275	03142-6138-9	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T6 300	03142-6139-7	6.25	6.38	3.851	.0/ 7.0	14.0	14.0	-6.25
76 RD 24 ARIS T8 100	03142-6140-5	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 125	03142-6141-3	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 150	03142-6142-1	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 175	03142-6143-9	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 200	03142-6144-7	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 225	03142-6145-4	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 250	03142-6146-2	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 275	03142-6147-0	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 RD 24 ARIS T8 300	03142-6148-8	8.25	8.45	5.198	.0/ 7.0	17.8	14.0	-6.25
76 SFSV ARIS +01 000	03040-3099-2	1.50	1.23	0.726		7.5	14.6	-6.25
76 SFSV ARIS +02 000	03041-5555-9	2.25	2.42	1.432		8.2	13.8	-6.25
76 SFSV ARIS +03 000	03040-3100-8	3.25	3.18	1.886		10.0	14.4	-6.25
76 SFSV ARIS +04 000	03041-5556-7	4.25	4.42	2.635		10.9	13.7	-6.25
76 SFSV ARIS +05 000	03040-3101-6	5.25	5.23	3.132		6.6	8.2	-6.25
76 SFSV ARIS +06 000	03041-5557-5	6.25	6.38	3.851		7.5	7.3	-6.25
76 SFSV ARIS +07 000	03040-3102-4	7.25	7.46	4.544		9.8	7.8	-6.25
76 SFSV ARIS +08 000	03041-5558-3	8.25	8.45	5.198		10.7	6.9	-6.25
76 SFSV ARIS +09 000	03040-3103-2	9.25	9.57	5.964		13.6	6.8	-6.25
76 SFSV ARIS T5 000	03142-5986-2	5.25	5.23	3.132		12.7	14.0	-6.25
76 SFSV ARIS T6 000	03142-5987-0	6.25	6.38	3.851		14.0	14.0	-6.25
76 SFSV ARIS T7 000	03142-5991-2	7.25	7.46	4.544		16.1	14.0	-6.25
76 SFSV ARIS T8 000	03142-5992-0	8.25	8.45	5.198		17.8	14.0	-6.25
76 SFSV ARIS T9 000	03142-5993-8	9.25	9.57	5.964		19.8	14.0	-6.25
76 ASPH ARIS +04 000	03040-3738-5	4.25	4.43	2.641		5.1	7.1	-6.20
76 ASPH ARIS +05 000	03040-3739-3	5.25	5.51	3.306		6.3	7.2	-6.20
76 ASPH ARIS +06 000	03040-3740-1	6.25	6.48	3.914		7.8	7.5	-6.20
76 ASPH ARIS +07 000	03040-3741-9	7.25	7.53	4.589		9.3	7.8	-6.20
76 ASPH ARIS +08 000	03040-3742-7	8.25	8.66	5.339		11.5	8.4	-6.20
76 ASPH ARIS +09 000	03040-3743-5	9.25	9.51	5.922		12.8	8.7	-6.20
76 ASPH ARIS 050 000	03040-3744-3	0.50	0.56	0.330		7.3	12.4	-6.20
76 ASPH ARIS 150 000	03040-3745-0	1.50	1.46	0.862		8.3	12.7	-6.20
76 ASPH ARIS 250 000	03040-3746-8	2.50	2.32	1.372		9.3	12.7	-6.20
76 ASPH ARIS 350 000	03040-3747-6	3.50	4.10	2.440		11.5	13.0	-6.20