

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 28 AT-G +02 100 L	03040-0606-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 100 R	03040-0691-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 125 L	03040-0607-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 125 R	03040-0692-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 150 L	03040-0608-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 150 R	03040-0693-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 175 L	03040-0609-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 175 R	03040-0694-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 200 L	03040-0610-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 200 R	03040-0695-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 225 L	03040-0611-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 225 R	03040-0696-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 250 L	03040-0612-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 250 R	03040-0697-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 275 L	03040-0613-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 275 R	03040-0698-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 300 L	03040-0614-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 300 R	03040-0699-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 325 L	03040-0615-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 325 R	03040-0700-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 350 L	03040-0616-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 350 R	03040-0701-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 375 L	03040-3180-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 375 R	03040-3181-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 400 L	03040-3182-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +02 400 R	03040-3183-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 AT-G +04 100 L	03040-0617-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 100 R	03040-0702-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 125 L	03040-0618-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 125 R	03040-0703-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 150 L	03040-0619-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 150 R	03040-0704-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 175 L	03040-0620-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 175 R	03040-0705-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 200 L	03040-0621-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 200 R	03040-0706-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 225 L	03040-0622-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 225 R	03040-0707-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 250 L	03040-0623-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 250 R	03040-0708-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 275 L	03040-0624-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 275 R	03040-0709-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 300 L	03040-0625-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 300 R	03040-0710-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 325 L	03040-0626-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 325 R	03040-0711-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 350 L	03040-0627-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 350 R	03040-0712-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 28 AT-G +04 375 L	03040-3184-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 375 R	03040-3185-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 400 L	03040-3186-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +04 400 R	03040-3187-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 AT-G +06 100 L	03040-0628-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 100 R	03040-0713-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 125 L	03040-0629-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 125 R	03040-0714-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 150 L	03040-0630-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 150 R	03040-0715-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 175 L	03040-0631-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 175 R	03040-0716-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 200 L	03040-0632-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 200 R	03040-0717-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 225 L	03040-0633-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 225 R	03040-0718-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 250 L	03040-0634-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 250 R	03040-0719-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 275 L	03040-0635-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 275 R	03040-0720-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 300 L	03040-0636-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 300 R	03040-0721-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 325 L	03040-0637-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 325 R	03040-0722-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 350 L	03040-0638-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 350 R	03040-0723-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 375 L	03040-3188-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 375 R	03040-3189-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 400 L	03040-3190-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +06 400 R	03040-3191-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 AT-G +08 100 L	03040-0639-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 100 R	03040-0724-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 125 L	03040-0640-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 125 R	03040-0725-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 150 L	03040-0641-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 150 R	03040-0726-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 175 L	03040-0642-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 175 R	03040-0727-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 200 L	03040-0643-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 200 R	03040-0728-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 225 L	03040-0644-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 225 R	03040-0729-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 250 L	03040-0645-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 250 R	03040-0730-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 275 L	03040-0646-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 275 R	03040-0731-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 300 L	03040-0647-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 300 R	03040-0732-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 28 AT-G +08 325 L	03040-0648-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 325 R	03040-0733-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 350 L	03040-0649-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 350 R	03040-0734-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 375 L	03040-3192-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 375 R	03040-3193-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 400 L	03040-3194-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 AT-G +08 400 R	03040-3195-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +02 100 L	03040-2646-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 100 R	03040-2647-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 125 L	03040-2648-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 125 R	03040-2649-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 150 L	03040-2650-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 150 R	03040-2651-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 175 L	03040-2652-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 175 R	03040-2653-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 200 L	03040-2654-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 200 R	03040-2655-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 225 L	03040-2656-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 225 R	03040-2657-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 250 L	03040-2658-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 250 R	03040-2659-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 275 L	03040-2660-2	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 275 R	03040-2661-0	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 300 L	03040-2662-8	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 300 R	03040-2663-6	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 325 L	03040-2664-4	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 325 R	03040-2665-1	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 350 L	03040-2666-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 350 R	03040-2667-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 375 L	03040-3618-9	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 375 R	03040-3619-7	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 400 L	03040-3620-5	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +02 400 R	03040-3621-3	2.25	2.42	1.432	5.0/ 7.0	8.2	13.8	6.25
74 D 28 ARSB +04 100 L	03040-2668-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 100 R	03040-2669-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 125 L	03040-2670-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 125 R	03040-2671-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 150 L	03040-2672-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 150 R	03040-2673-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 175 L	03040-2674-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 175 R	03040-2675-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 200 L	03040-2676-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 200 R	03040-2677-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 225 L	03040-2678-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 225 R	03040-2679-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 250 L	03040-2680-0	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 250 R	03040-2681-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 28 ARSB +04 275 L	03040-2682-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 275 R	03040-2683-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 300 L	03040-2684-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 300 R	03040-2685-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 325 L	03040-2686-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 325 R	03040-2687-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 350 L	03040-2688-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 350 R	03040-2689-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 375 L	03040-3622-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 375 R	03040-3623-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 400 L	03040-3624-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +04 400 R	03040-3625-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 28 ARSB +06 100 L	03040-2690-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 100 R	03040-2691-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 125 L	03040-2692-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 125 R	03040-2693-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 150 L	03040-2694-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 150 R	03040-2695-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 175 L	03040-2696-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 175 R	03040-2697-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 200 L	03040-2698-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 200 R	03040-2699-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 225 L	03040-2700-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 225 R	03040-2701-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 250 L	03040-2702-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 250 R	03040-2703-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 275 L	03040-2704-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 275 R	03040-2705-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 300 L	03040-2706-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 300 R	03040-2707-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 325 L	03040-2708-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 325 R	03040-2709-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 350 L	03040-2710-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 350 R	03040-2711-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 375 L	03040-3626-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 375 R	03040-3627-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 400 L	03040-3628-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +06 400 R	03040-3629-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 28 ARSB +08 100 L	03040-2712-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 100 R	03040-2713-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 125 L	03040-2714-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 125 R	03040-2715-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 150 L	03040-2716-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 150 R	03040-2717-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 175 L	03040-2718-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 175 R	03040-2719-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 200 L	03040-2720-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 200 R	03040-2721-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 28 ARSB +08 225 L	03040-2722-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 225 R	03040-2723-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 250 L	03040-2724-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 250 R	03040-2725-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 275 L	03040-2726-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 275 R	03040-2727-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 300 L	03040-2728-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 300 R	03040-2729-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 325 L	03040-2730-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 325 R	03040-2731-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 350 L	03040-2732-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 350 R	03040-2733-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 375 L	03040-3630-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 375 R	03040-3631-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 400 L	03040-3632-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 28 ARSB +08 400 R	03040-3633-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 FRDMID ARSG +03 100 L	03040-2239-5	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 100 R	03040-2240-3	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 125 L	03040-2241-1	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 125 R	03040-2242-9	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 150 L	03040-2243-7	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 150 R	03040-2244-5	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 175 L	03040-2245-2	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 175 R	03040-2246-0	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 200 L	03040-2247-8	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 200 R	03040-2248-6	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 225 L	03040-2249-4	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 225 R	03040-2250-2	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 250 L	03040-2283-3	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 250 R	03040-2284-1	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 275 L	03040-2251-0	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 275 R	03040-2252-8	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 300 L	03040-2253-6	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +03 300 R	03040-2254-4	3.25	3.28	1.943	2.5/ 4.0	10.1	13.4	6.25
74 FRDMID ARSG +05 100 L	03040-2255-1	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 100 R	03040-2256-9	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 125 L	03040-2257-7	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 125 R	03040-2285-8	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 150 L	03040-2264-3	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 150 R	03040-2286-6	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 175 L	03040-2258-5	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 175 R	03040-2263-5	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 200 L	03040-2259-3	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 200 R	03040-2265-0	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 225 L	03040-2267-6	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 225 R	03040-2266-8	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 250 L	03040-2287-4	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 250 R	03040-2262-7	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 FRDMID ARSG +05 275 L	03040-2288-2	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 275 R	03040-2260-1	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 300 L	03040-2261-9	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +05 300 R	03040-2289-0	5.25	5.30	3.172	2.5/ 4.0	7.0	8.0	6.25
74 FRDMID ARSG +07 100 L	03040-2268-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 100 R	03040-2269-2	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 125 L	03040-2270-0	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 125 R	03040-2273-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 150 L	03040-2290-8	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 150 R	03040-2271-8	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 175 L	03040-2272-6	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 175 R	03040-2274-2	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 200 L	03040-2278-3	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 200 R	03040-2279-1	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 225 L	03040-2291-6	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 225 R	03040-2292-4	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 250 L	03040-2276-7	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 250 R	03040-2277-5	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 275 L	03040-2280-9	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 275 R	03040-2275-9	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 300 L	03040-2281-7	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 FRDMID ARSG +07 300 R	03040-2282-5	7.25	7.25	4.405	2.5/ 4.0	9.9	8.3	6.25
74 7X28 AT-G +02 150 L	03040-0650-5	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 150 R	03040-0735-4	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 175 L	03040-0651-3	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 175 R	03040-0736-2	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 200 L	03040-0652-1	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 200 R	03040-0737-0	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 225 L	03040-0653-9	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 225 R	03040-0738-8	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 250 L	03040-0654-7	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 250 R	03040-0739-6	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 275 L	03040-0655-4	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 275 R	03040-0740-4	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 300 L	03040-0656-2	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 300 R	03040-0741-2	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 325 L	03040-0657-0	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 325 R	03040-0742-0	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 350 L	03040-0658-8	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +02 350 R	03040-0743-8	2.25	2.42	1.432	5.0/ 4.0	8.2	13.8	6.25
74 7X28 AT-G +04 150 L	03040-0659-6	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 150 R	03040-0744-6	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 175 L	03040-0660-4	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 175 R	03040-0745-3	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 200 L	03040-0661-2	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 200 R	03040-0746-1	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 225 L	03040-0662-0	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 225 R	03040-0747-9	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 7X28 AT-G +04 250 L	03040-0663-8	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 250 R	03040-0748-7	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 275 L	03040-0664-6	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 275 R	03040-0749-5	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 300 L	03040-0665-3	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 300 R	03040-0750-3	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 325 L	03040-0666-1	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 325 R	03040-0751-1	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 350 L	03040-0667-9	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +04 350 R	03040-0752-9	4.25	4.42	2.635	5.0/ 4.0	10.9	13.7	6.25
74 7X28 AT-G +06 150 L	03040-0668-7	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 150 R	03040-0753-7	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 175 L	03040-0669-5	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 175 R	03040-0754-5	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 200 L	03040-0670-3	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 200 R	03040-0755-2	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 225 L	03040-0671-1	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 225 R	03040-0756-0	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 250 L	03040-0672-9	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 250 R	03040-0757-8	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 275 L	03040-0673-7	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 275 R	03040-0758-6	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 300 L	03040-0674-5	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 300 R	03040-0759-4	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 325 L	03040-0675-2	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 325 R	03040-0760-2	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 350 L	03040-0676-0	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +06 350 R	03040-0761-0	6.25	6.38	3.851	5.0/ 4.0	7.5	7.3	6.25
74 7X28 AT-G +08 150 L	03040-0677-8	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 150 R	03040-0762-8	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 175 L	03040-0678-6	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 175 R	03040-0763-6	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 200 L	03040-0679-4	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 200 R	03040-0764-4	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 225 L	03040-0680-2	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 225 R	03040-0765-1	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 250 L	03040-0681-0	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 250 R	03040-0766-9	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 275 L	03040-0682-8	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 275 R	03040-0767-7	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 300 L	03040-0683-6	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 300 R	03040-0768-5	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 325 L	03040-0684-4	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 325 R	03040-0769-3	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 350 L	03040-0685-1	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 7X28 AT-G +08 350 R	03040-0770-1	8.25	8.45	5.198	5.0/ 4.0	10.7	6.9	6.25
74 D 35 AT-G +04 100 L	03040-3911-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 100 R	03040-3912-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 35 AT-G +04 125 L	03040-3913-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 125 R	03040-3914-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 150 L	03040-3915-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 150 R	03040-3916-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 175 L	03040-3917-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 175 R	03040-3918-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 200 L	03040-3919-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 200 R	03040-3920-9	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 225 L	03040-3921-7	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 225 R	03040-3922-5	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 250 L	03040-3923-3	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 250 R	03040-3924-1	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 275 L	03040-3925-8	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 275 R	03040-3926-6	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 300 L	03040-3927-4	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +04 300 R	03040-3928-2	4.25	4.42	2.635	5.0/ 7.0	10.9	13.7	6.25
74 D 35 AT-G +06 100 L	03040-3937-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 100 R	03040-3938-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 125 L	03040-3939-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 125 R	03040-3940-7	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 150 L	03040-3941-5	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 150 R	03040-3942-3	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 175 L	03040-3943-1	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 175 R	03040-3944-9	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 200 L	03040-3945-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 200 R	03040-3946-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 225 L	03040-3947-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 225 R	03040-3948-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 250 L	03040-3949-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 250 R	03040-3950-6	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 275 L	03040-3951-4	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 275 R	03040-3952-2	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 300 L	03040-3953-0	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +06 300 R	03040-3954-8	6.25	6.38	3.851	5.0/ 7.0	7.5	7.3	6.25
74 D 35 AT-G +08 100 L	03040-3963-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 100 R	03040-3964-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 125 L	03040-3965-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 125 R	03040-3966-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 150 L	03040-3967-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 150 R	03040-3968-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 175 L	03040-3969-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 175 R	03040-3970-4	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 200 L	03040-3971-2	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 200 R	03040-3972-0	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 225 L	03040-3973-8	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 225 R	03040-3974-6	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 250 L	03040-3975-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 250 R	03040-3976-1	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25



## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 D 35 AT-G +08 275 L	03040-3977-9	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 275 R	03040-3978-7	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 300 L	03040-3979-5	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 D 35 AT-G +08 300 R	03040-3980-3	8.25	8.45	5.198	5.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +04 100	03040-3153-7	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 125	03040-3154-5	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 150	03040-3155-2	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 175	03040-3156-0	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 200	03040-3157-8	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 225	03040-3158-6	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 250	03040-3159-4	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 275	03040-3160-2	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +04 300	03040-3161-0	4.25	4.42	2.635	.0/ 7.0	10.9	13.7	6.25
74 RD 24 AT-G +06 100	03040-3162-8	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 125	03040-3163-6	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 150	03040-3164-4	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 175	03040-3165-1	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 200	03040-3166-9	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 225	03040-3167-7	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 250	03040-3168-5	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 275	03040-3169-3	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +06 300	03040-3170-1	6.25	6.38	3.851	.0/ 7.0	7.5	7.3	6.25
74 RD 24 AT-G +08 100	03040-3171-9	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 125	03040-3172-7	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 150	03040-3173-5	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 175	03040-3174-3	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 200	03040-3175-0	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 225	03040-3176-8	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 250	03040-3177-6	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 275	03040-3178-4	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 RD 24 AT-G +08 300	03040-3179-2	8.25	8.45	5.198	.0/ 7.0	10.7	6.9	6.25
74 SFSV ARSG +01 000	03040-3608-0	1.25	1.23	0.726		7.5	14.6	6.25
74 SFSV ARSG +02 000	03040-2231-2	2.25	2.42	1.432		8.2	13.8	6.25
74 SFSV ARSG +03 000	03040-3609-8	3.25	3.18	1.886		10.0	14.0	6.25
74 SFSV ARSG +04 000	03040-2232-0	4.25	4.42	2.635		10.9	13.7	6.25
74 SFSV ARSG +05 000	03040-3610-6	5.25	5.23	3.132		6.6	8.2	6.25
74 SFSV ARSG +06 000	03040-2233-8	6.25	6.38	3.851		7.5	7.3	6.25
74 SFSV ARSG +07 000	03040-3611-4	7.25	7.46	4.544		9.8	7.8	6.25
74 SFSV ARSG +08 000	03040-2234-6	8.25	8.45	5.198		10.7	6.9	6.25
74 SFSV ARSG +09 000	03040-3612-2	9.25	9.57	5.964		13.6	6.8	6.25
74 SFSV ARSB +01 000	03040-3613-0	1.25	1.23	0.726		7.5	14.6	6.25
74 SFSV ARSB +02 000	03040-2235-3	2.25	2.42	1.432		8.2	13.8	6.25
74 SFSV ARSB +03 000	03040-3614-8	3.25	3.18	1.886		10.0	14.0	6.25
74 SFSV ARSB +04 000	03040-2236-1	4.25	4.42	2.635		10.9	13.7	6.25
74 SFSV ARSB +05 000	03040-3615-5	5.25	5.23	3.132		6.6	8.2	6.25
74 SFSV ARSB +06 000	03040-2237-9	6.25	6.38	3.851		7.5	7.3	6.25
74 SFSV ARSB +07 000	03040-3616-3	7.25	7.46	4.544		9.8	7.8	6.25
74 SFSV ARSB +08 000	03040-2238-7	8.25	8.45	5.198		10.7	6.9	6.25

## X-Cel Optical Aris Transitions Lenses

Item Description	OPC	Nominal FT	True FT	Sag.	In/Dn	CT	ET	Back
74 SFSV ARSB +09 000	03040-3617-1	9.25	9.57	5.964		13.6	6.8	6.25
74 ASPH ARSG +04 000	03142-0914-9	4.25	4.43	2.641		5.1	7.1	6.20
74 ASPH ARSG +05 000	03142-0915-6	5.25	5.51	3.306		6.3	7.2	6.20
74 ASPH ARSG +06 000	03142-0916-4	6.25	6.48	3.914		7.8	7.5	6.20
74 ASPH ARSG +07 000	03142-0917-2	7.25	7.53	4.589		9.3	7.8	6.20
74 ASPH ARSG +08 000	03142-0918-0	8.25	8.66	5.339		11.5	8.4	6.20
74 ASPH ARSG +09 000	03142-0919-8	9.25	9.51	5.922		12.8	8.7	6.20
74 ASPH ARSG 050 000	03142-0910-7	0.50	0.56	0.330		7.3	12.4	6.20
74 ASPH ARSG 150 000	03142-0911-5	1.50	1.46	0.862		8.3	12.7	6.20-
74 ASPH ARSG 250 000	03142-0912-3	2.50	2.32	1.372		9.3	12.7	6.20
74 ASPH ARSG 350 000	03142-0913-1	3.50	4.10	2.440		11.5	13.0	6.20
74 ASPH ARSB +04 000	03142-0924-8	4.25	4.43	2.641		5.1	7.1	6.20
74 ASPH ARSB +05 000	03142-0925-5	5.25	5.51	3.306		6.3	7.2	6.20
74 ASPH ARSB +06 000	03142-0926-3	6.25	6.48	3.914		7.8	7.5	6.20
74 ASPH ARSB +07 000	03142-0927-1	7.25	7.53	4.589		9.3	7.8	6.20
74 ASPH ARSB +08 000	03142-0928-9	8.25	8.66	5.339		11.5	8.4	6.20
74 ASPH ARSB +09 000	03142-0929-7	9.25	9.51	5.922		12.8	8.7	6.20
74 ASPH ARSB 050 000	03142-0920-6	0.50	0.56	0.330		7.3	12.4	6.20
74 ASPH ARSB 150 000	03142-0921-4	1.50	1.46	0.862		8.3	12.7	6.20-
74 ASPH ARSB 250 000	03142-0922-2	2.50	2.32	1.372		9.3	12.7	6.20
74 ASPH ARSB 350 000	03142-0923-0	3.50	4.10	2.440		11.5	13.0	6.20